



TORO WALK POWER MOWERS



Count on it.

Mow Like A Pro

Toro's walk power mowers are packed with features to make your lawn more beautiful and mowing it more enjoyable. From powerful engines to the Personal Pace® drive system that automatically adjusts to your walking speed, you'll find everything you need right here.

Engineered to cut better

We've been in the turf business for more than a century and we've never stopped looking for new ways to deliver the highest quality cut and the most reliable machines you can buy. When you choose Toro, you know you're getting a mower that's built to last.



Which one is right for you?



Super Recycler® 19 inch

The Ultimate Recycling & Bagging Mower.

BEST FOR: Recycling, bagging or rear discharge. It is fully featured with single point height of cut.



Heavy-Duty Commercial 21 inch

Ideal for Commercial Use.

BEST FOR: Demanding yard conditions. The die-cast deck withstands the rigours of commercial mowing.



Recycler® 22 inch

Our Best-Selling Mower.

BEST FOR: Recycling, side discharge, and has bagging capability.



Recycler® 22 inch All-Wheel Drive

For Added Traction in Tough Mowing Conditions.

BEST FOR: Mowing hills and other tough mowing conditions.



TimeMaster™

For Big Yards and Busy Schedules.

BEST FOR: Homeowners with big yards and busy schedules. 30 inch mowing deck, lightweight and sleek, it cuts more grass in far less time.



TurfMaster™

Ideal for Commercial Use.

BEST FOR: Heavy-use in the toughest conditions. The wide 30 inch mowing deck covers more ground in less time.



Toro® OHV Engines The Perfect Match

Toro® walk-power mower engines have a special governor design that delivers more usable power faster when put under load. The auto-choke feature means there's no need to choke or prime the engine — it's backed by Toro's Guaranteed-to-Start® promise.*

It's all part of a tradition of quality that began in 1914, when Toro started as an engine manufacturing company. After more than 100 years of turf care industry leadership, we're still making products you can count on.

*See your dealer for full details on warranties.

WALK POWER ENGINE BENEFITS

- OVERHEAD VALVE (OHV) DESIGN.** OHV engines are more efficient and burn cleaner than side-valve engines.
- MAXIMUM ENGINE LIFE.** Superior airflow and engine block design help the engine run cooler than other leading engines.
- MORE USABLE POWER, FASTER.** Special governor design delivers fast power when put under load.
- QUIET OPERATION.** Low-tone muffler keeps noise down.
- ADDED PROTECTION.** Dual element air filter helps extend the life of the engine.

Super Recycler® 19 inch Personal Pace® Self-Propelled Super Recycler® Leave only a perfect cut

Other mowers cut grass in a way that causes clippings to pile on top of the lawn. Our uniquely engineered Super Recycler® cutting system recuts the grass into finely shredded clippings that go back into your lawn. Whether you're mulching to save time, naturally composting your lawn or reducing fertiliser use, the Super Recycler® gives you the ultimate in mulching performance.

KEY FEATURES



Personal Pace® Automatic Drive System with Traction Assist Handle

Toro's exclusive Personal Pace® technology automatically adjusts the mower's pace to your walking speed. For more challenging areas with uneven terrain, the Traction-Assist Handle can help monitor your speed, and keep you mowing at a comfortable pace.



Durable Cast Aluminium Deck

The die-cast deck is lightweight and corrosion resistant. Precision casting also produces outstanding quality of cut for improved performance.



Single-Point Height of Cut

Select the desired height of cut in one easy move.

KEY FEATURES




Auto Choke System

Ensures consistent, easy starting backed by our Guaranteed-to-Start® warranty.



Cast-Iron Cylinder Liner

Cast-iron cylinder liner increases wear resistance for longer engine life.



Dual Oversized Crankshaft Bearings

Oversized crankshaft bearings create less friction and promote longer engine life.



Triple Piston Ring Design

Triple piston ring design reduces engine oil consumption and blowby for maximum power.

Model No	20836
Engine	7.4 ft-lbs , 159 cc Toro® OHV air-cooled
Cutting Width	19 inch (48 cm) Cast Aluminium Deck
Drive System	Personal Pace® Self-Propelled
Washout Port	Standard
Height of Cut	1 – 4.2 inch (2.5 – 10.5 cm)

IDEAL FOR ½ ACRE



Exclusive Recycling Action

The aerodynamic blade **1** cuts the grass. The clippings hit the kickers **2** and then are pushed back down into the blade. The accelerator **3** circulates clippings repeatedly into the blade for recutting.



*See your dealer for full details on warranties.

Heavy-Duty Commercial 21 inch Self-Propelled

Landscape maintenance is hard work, so you need equipment that works hard too. The 21 inch Heavy-Duty Commercial mower delivers the performance Toro is known for and has features to help get more jobs done. This mower features a unique, tapered deck design with a generous discharge tunnel that promotes superior air flow and maximum suction. Clippings are efficiently fed and densely packed into a large, commercially reinforced, easy-dump bag.

KEY FEATURES



Powerful Commercial Engine
Powered by a strong reliable Kawasaki® FJ180V.



Commercial-Grade Wheels
Tough co-polymer wheels feature precision ball bearings for long life with less downtime.



Steel Deck Wear Plate
Extend the life of your mower deck with replaceable steel wear plates that protect against bottom and side impacts.



Spin-Stop™ System
Allows the operator to disengage the blades without shutting down the engine.



Recycler® Cutting System
This patented cutting system cuts and recuts grass clippings into fine mulch and directs them deep into the turf to provide a “just bagged” appearance.



*See your dealer for full details on warranties.

Recycler® 22 inch Personal Pace® Self-Propelled Recycler® Designed with you in mind

A broader sweep, a faster finish

Finish mowing faster with a larger 22 inch (56 cm) cutting width and ground speeds up to 7.2 km/h. Toro's innovative Recycler mulching system minces grass clippings into fine particles and puts them back into your lawn giving you a healthy, lush-looking lawn.

KEY FEATURES



Electric Start Option
Electric start available on model 20374.



3 in 1 Deck
In addition to a recycler, it allows you to use the mower as a bagger or to side discharge.



Personal Pace® Automatic Drive System
Toro's exclusive Personal Pace® automatic drive system senses and adapts to your walking speed. Just start the mower and go – slight pressure on the handle propels the mower to the exact speed you want to go.



Toro® OHV Engine
Toro's premium overhead valve engine is powerful and efficient.

Model No	22298
Engine	179 cc Kawasaki® Commercial Grade FJ180V
Cutting Width	21 inch (53 cm) Die Cast Aluminum Alloy
Spin-Stop™ System	Standard
Drive System	Self-Propelled
Height of Cut	1 – 4.5 inch (2.5 - 11.4 cm) in eight positions

IDEAL FOR COMMERCIAL USE

Model No	20372	20374
Engine	7.4 ft-lbs Gross Torque, 159 cc Toro® OHV with Auto Choke	7.4 ft-lbs Gross Torque, 159 cc Toro® OHV with Auto Choke
Cutting Width	22 inch (56 cm) Stamped Steel Deck	22 inch (56 cm) Stamped Steel Deck
Starter	Recoil	Electric
Drive System	Personal Pace®	Personal Pace®
Height of Cut	1 – 4 inch (2.5 – 10.2 cm)	1 – 4 inch (2.5 – 10.2 cm)

IDEAL FOR ½ ACRE

IDEAL FOR ½ ACRE



*See your dealer for full details on warranties.

TORO Count on it.

Recycler® 22 Inch All-Wheel Drive Personal Pace® Self-Propelled Recycler® Tackle tough hills & slopes with ease



KEY FEATURES



Dual Variable Transmissions
Deliver true independent variable engagement, resulting in smooth forward and reverse manoeuvring.



Bag On Demand
With our innovative Bag-On-Demand feature, you can switch from mulching to bagging in seconds with a flip of the quick-change lever – and the bag can stay mounted in either mode.



Recycler® Cutting Deck
Front throw chamber and Atomic® blade lift, suspend and re-cut clippings into a fine mulch for a healthy, lush lawn.



Personal Pace® Automatic Drive with Traction Assist
Toro's exclusive Personal Pace® automatic drive system senses and adapts to your walking speed. All four wheels move together for better traction in soft, wet conditions as well as hilly and rough terrain.



Robust Design
New, rugged wheels provide added traction in tough mowing conditions.



Briggs & Stratton® ReadyStart™ Engine
No need to choke or prime the engine – just start the mower and go! The Just Check & Add™ feature means you will never have to change the oil, ever.

Toro's new All-Wheel Drive Recycler® mower takes the muscle out of mowing hills and other tough mowing challenges. The front and rear wheels engage independently, distributing the right amount of traction when needed. Extra traction makes it easy to manoeuvre with less effort, while the Automatic Drive system and traction assist handle keep you mowing at a comfortable pace.

Model No	20353
Engine	7.25 ft-lbs, 163 cc Briggs & Stratton® 725 EXi Series
Cutting Width	22 inch (56 cm) Stamped Steel Deck
Drive System	Automatic Drive
Height of Cut	1 - 4 inch (2.5 – 10.2 cm) 4-point adjustment

IDEAL FOR ½ ACRE



Scan to watch a video on Recycler® 22 inch AWD.

3
YEAR
GUARANTEED
TO START
WARRANTY*

2
YEAR
ENGINE
WARRANTY*

2
YEAR
WARRANTY*

*See your dealer for full details on warranties.

TORO. Count on it.



TimeMaster™

The ultimate time saver

For homeowners with big yards and busy schedules, Toro's TimeMaster™ covers more ground in far less time. The sleek, lightweight body easily circles trees and shrubs and it makes a big impact with a small footprint. It is equipped with a powerful Briggs & Stratton® OHV engine, a durable cast aluminium frame and heavy-duty steel deck. You can count on the TimeMaster™ to deliver the high performance and unmatched durability that Toro is known for. **Key-Lectric® Electric start** option is also available.



The wide 30 inch mowing deck lets you handle large areas of grass quickly and easily, reducing mowing time by up to 40%*.

*Time savings achieved via wider cutting path and enhanced travel speed capabilities of TimeMaster™ mower compared to a 21" Toro mower. Savings will vary due to mowing conditions.

KEY FEATURES



Dual Force™ Cut

Twin blade cutting system and Atomic blades cut grass into a super fine mulch for superior quality of cut and a healthy, rich lawn.



Spin-Stop™ System

This convenient safety feature stops the blade, but not the engine, so you can step away for a moment without having to restart the engine.



Personal Pace® Automatic Drive System with Traction-Assist Handle

Toro's exclusive Personal Pace® technology automatically adjusts the mower's pace to your walking speed. For more challenging areas with uneven terrain, the Traction-Assist Handle can help monitor your speed, and keep you mowing at a comfortable pace.



Quick-Stow Handle

The Quick-Stow handle allows you to position the handle upright for easy, compact storage.



3 in 1 Cutting Mode Versatility

Choose from rear bagging, side discharge or recycling.

Model No	20199	20200
Engine	190 cc OHV Briggs & Stratton®	190 cc OHV Briggs & Stratton®
Cutting Width	30 inch (76.2 cm) Steel Deck with twin, timed blades	30 inch (76.2 cm) Steel Deck with twin, timed blades
Starter	Recoil	Electric
Drive System	Personal Pace® with Traction-Assist RWD	Personal Pace® with Traction-Assist RWD
Height of Cut	2 point adjustment, 1.25 – 4.25 inch (3.17 – 10.79 cm)	2 point adjustment, 1.25 – 4.25 inch (3.17 – 10.79 cm)

IDEAL FOR 1 ACRE

IDEAL FOR 1 ACRE



*See your dealer for full details on warranties.

TurfMaster™

Commercial Walk-Behind Mower

The Toro® TurfMaster™ 30 inch mower covers more ground in far less time, yet it's surprisingly easy to handle. Its tough design is built for your day to day reality. The precisely timed, twin-blade cutting system powered by a tough Kawasaki engine provides a clean, professional look on the turf you maintain. This mower provides a big impact for your productivity.

KEY FEATURES



Kawasaki® Commercial Engine
Powered by a tough Kawasaki® commercial engine.



3.8 Litre Fuel Tank
Long range fuel tank allows for longer mowing time.



Control System
Single bail design is simple to operate and easy to control.



Spin-Stop™ System
Allow operator to disengage blades without shutting off the engine.



2 Point Height Of Cut
Durable design easily adjusts front and rear without walking around the mower.



Complete Your Toro Experience

ACCESSORIES



Lawn Striping Kit
Attaches easily to most walk behind mowers and can be used with or without a bagger. Create everything from simple stripes to an eye-catching work of art. Available at your local certified Toro dealer.



Product Cover
Protect your investment with a water, abrasion and tear resistant cover. Fits most walk power mowers up to 22 inch wide.

MAINTENANCE KIT – TORO® ENGINES



Maintenance Kit
Keep your Toro mower running smoothly, season after season. Kit includes: 20 oz. SAE 30 engine oil, spark plug, air filter and fuel stabiliser.

Model No	22200
Engine	179 cc Kawasaki® FJ180V Commercial Grade
Cutting Width	30 inch (76.2 cm) Cast Aluminium Deck
Starter	Recoil
Fuel capacity	3.8 litres
Transmission	Variable Speed, Rear Wheel Drive
Height of Cut	1.5 - 5 inch in 0.5 inch increments (3.8 - 12.7 cm in 1.3 cm increments)

IDEAL FOR COMMERCIAL USE



*Limited commercial use warranty. See your dealer for full details on warranties.

WARRANTIES

Building the best machines in the industry allows us to back them with the best warranty in the industry. Ask your dealer to learn about our warranty coverage.

FINANCE

Purchasing Toro products is easy and affordable with special Toro sponsored finance promotions available through your participating certified Toro independent dealer.

SPECIFICATIONS

	Super Recycler® 19 Inch	Heavy-Duty Commercial 21 Inch	Recycler® 22 Inch	
Model No	20836	22298	20372	20374
Power System				
Engine Manufacturer	Toro®	Kawasaki®	Toro®	Toro®
Engine Type**	7.4 ft-lbs, 159 cc OHV with Auto Choke	179 cc FJ180V commercial grade	7.4 ft-lbs, 159 cc OHV with Auto Choke	7.4 ft-lbs, 159 cc OHV with Auto Choke
Starter	Recoil	Recoil	Recoil	Electric
Drive System	Personal Pace® Automatic Drive with Traction Assist RWD	3 Speed self-propelled RWD	Personal Pace® self-propelled RWD	Personal Pace® self-propelled RWD
Ground Speed	Variable to 6.9 km/h	Variable to 6.7 km/h	Variable to 7.2 km/h	Variable to 7.2 km/h
Mowing Decks				
Cutting Width	19 inch (48 cm)	21 inch (53 cm)	22 inch (56 cm)	22 inch (56 cm)
Deck Material	Cast aluminium	Die-cast aluminum alloy	Stamped steel	Stamped steel
Height of Cut	Single point adjustment, 1 - 4.2 inch (2.5 - 10.5 cm)	8 positions, 1 - 4.5 inch (2.5 cm - 11.4 cm)	9 positions, 1 - 4 inch (2.5 - 10.2 cm)	9 positions, 1 - 4 inch (2.5 - 10.2 cm)
Recycle, Rear Discharge, Side Discharge	Recycler, Rear Discharge	Recycler, Rear Discharge	Standard	Standard
Washout Port	Standard	-	Standard	Standard
Spin-Stop™ System	-	Standard	-	-
Blade Brake Control	Standard	-	Standard	Standard
User-Friendly Features				
Wheel Height	8 x 2 inch (20.3 cm x 5.1 cm)	9 x 2.4 inch (22.9 x 6.03 cm)	8.25 x 2 inch (20.95 x 5.1 cm)	8.25 x 2 inch (20.95 x 5.1 cm)
Bag on Demand	Standard	-	Standard	Standard
Quick Stow Storage Handle	Standard	-	-	-
Weight	39 kg	60 kg	34.2 kg	36.9 kg
Warranty*	5 years	2 years	2 years	2 years

 = Enhanced or step-up feature

Recycler® 22 Inch AWD	TimeMaster™		TurfMaster™
20353	20199	20200	22200
Power System			
Briggs & Stratton®	Briggs & Stratton®	Briggs & Stratton®	Kawasaki®
7.25 ft-lbs, 163 cc, 725 EXi Series	190 cc OHV Pro 875	190 cc OHV Pro 875	179 cc FJ180V
Recoil	Recoil	Electric	Recoil
Personal Pace® Automatic Drive with Traction Assist All-Wheel Drive (AWD)	Personal Pace® with Traction Assist RWD	Personal Pace® with Traction Assist RWD	Single Speed, Self-Propelled
Variable to 6.9 km/h	Variable to 8 km/h	Variable to 8 km/h	Variable to 6.56 km/h
Mowing Decks			
22 inch (56 cm)	30 inch (76.2 cm)	30 inch (76.2 cm)	30 inch (76.2 cm)
Stamped steel	Stamped Steel Deck with twin, timed blades	Stamped Steel Deck with twin, timed blades	13 Gauge Steel
9 positions, 1 - 4 inch (2.5 - 10.2 cm)	2 point adjustment, 1.25 - 4.25 inch (3.17 - 10.79 cm)	2 point adjustment, 1.25 - 4.25 inch (3.17 - 10.79 cm)	2 point adjustments, 1.5 - 5 inch in 0.5 inch increments (3.8 - 12.7 cm in 1.3 cm increments)
Standard	Standard	Standard	Standard
Standard	Standard	Standard	-
-	Standard	Standard	Standard
Standard	-	-	-
User-Friendly Features			
8 x 2 inch (20.3 x 5.1 cm)	8 inch (20.3 cm) front/ 10 inch (25.4 cm) rear	8 inch (20.3 cm) front/ 10 inch (25.4 cm) rear	8 inch (20.3 cm) front/ 10 inch (25.4 cm) rear
Standard	-	-	-
-	Standard	Standard	-
35.6 kg	69.9 kg	72.6 kg	82.6 kg
2 years	3 years	3 years	1 year limited Commercial use 2 year limited Commercial use engine

*See dealer for full warranty details.

**The gross or net torque of this engine was laboratory rated by the engine manufacturer in accordance with the appropriate SAE specification. As configured to meet safety, emission and operating requirements, the actual engine torque on this class of mower will be significantly lower.

We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.



Count on it.

Your local certified Toro dealer:

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, designs, and standard equipment without notice and without incurring obligation. The gross horsepower of the engines have been laboratory rated by the various engine manufacturers. As configured to meet safety, emission and operating requirements, the actual engine horsepower on this class may be significantly lower.

Many of the products you will find in certified Toro dealers' stores come with a warranty or guarantee from The Toro Company. In addition, our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure. Full details of your consumer rights may be found at www.consumerlaw.gov.au

*See your certified Toro dealers for details on all of our warranties.

INDIMP_160715/IND-C0139
07-2015

Toro Customer Service 1800 356 372
toro.com.au



Follow us on Facebook and Twitter
Facebook.com/toroaus
Twitter.com/@toroaus



Watch us on YouTube
Youtube.com/toroaustralia